

Thawilak ทวิลักษณ์

Supports

Thai, Basic Latin, Western European, Central European,
South Eastern European, South American, Esperanto,
Sámi, Vietnamese

Axes

Weight 100–900, Slant 0–12, Y Opaque 0–100



www.jipattype.com
jipattype@gmail.com

Opentype Features

Feature

Caps to Small Caps (s2sc)

Abcde

Abcde

Feature

Small Caps (smcp)

Abcde

ABCDE

Feature

All Small Caps (s2sc + smcp)

Abcde

ABCDE

Feature

Scientific Inferiors (sinf)

H2O

H₂O

Feature

Subscript (subs)

E=mc²

E=mc²

Feature

Numerators (numr)

ABC0123456789

ABC⁰¹²³⁴⁵⁶⁷⁸⁹

Feature

Denominators (dnom)

ABC0123456789

ABC₀₁₂₃₄₅₆₇₈₉

Opentype Features

Feature

Tabular Figures (tnum)

123,456,789,01

1 23,456,789,01

Feature

Ordinals (ordn)

12^o 12^a

12^o 12^a

Feature

fractions (frac)

1234/5678

1234/5678

Feature

Discretionary Ligatures (dlig)

f^b f^k f^j f^b f^k f^j

f^b f^k f^j f^b f^k f^j

Thawilak Serif Thin

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Serif Thin Italic

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Serif ExtraLight

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Serif ExtraLight Italic

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Serif Light

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Serif Light Italic

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Serif Regular

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Serif Italic

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Serif Medium

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Serif Medium Italic

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Serif SemiBold

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Serif SemiBold Italic

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Serif Bold

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Serif Bold Italic

[illegible]

Thawilak Serif ExtraBold

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Serif ExtraBold Italic

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Serif Black

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Serif Black Italic

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Slab Thin

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Slab Thin Italic

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Slab ExtraLight

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Slab ExtraLight Italic

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Slab Light

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Slab Light Italic

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Slab Regular

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Slab Italic

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Slab Medium

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Slab Medium Italic

[illegible]

Thawilak Slab SemiBold

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Slab SemiBold Italic

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Slab Bold

[illegible]

Thawilak Slab Bold Italic

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilak Slab ExtraBold

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilah Slab ExtraBold Italic

[illegible]

Thawilak Slab Black

[illegible]

Blank unicode use when the Opentype Features is active.

Thawilah Slab Black Italic

[illegible]

Blank unicode use when the Opentype Features is active.